

PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

#15

In re the Application of

Toshiya OHTOMO et al.

ATTN: Application Branch

Application No.: 09/139,296

Docket No.: 101809.01

Filed: August 25, 1998

For: STAGE UNIT, DRIVE TABLE, AND SCANNING EXPOSURE APPARATUS USING
SAME**REQUEST FOR CORRECTED FILING RECEIPT**Assistant Commissioner for Patents
Washington, D.C. 20231


Sir:

A corrected filing receipt is hereby requested in view of the errors which appear in the original. For the convenience of the Patent and Trademark Office, attached is a photocopy of the original receipt on which the errors have been noted in red.

☒ **PTO ERROR** - As the error was made by the Patent and Trademark Office, it is believed that no fee is due. However, please credit or debit Deposit Account No. 15-0461 as necessary to effect entry of the attached corrections.

☐ **APPLICANT'S ERROR** - In accordance with the provisions of 37 C.F.R. 1.19(h), our Check No. _____ in the amount of Twenty Five Dollars (\$25.00) is attached. Please credit or debit Deposit Account No. 15-0461 as necessary to effect entry of the attached corrections.

Respectfully submitted,

James A. Oliff
Registration No. 27,075Mario A. Costantino
Registration No. 33,565

JAO:MAC/ksr

OLIFF & BERRIDGE, P.L.C.
P.O. Box 19928
Alexandria, Virginia 22320
Telephone: (703) 836-6400**DEPOSIT ACCOUNT USE
AUTHORIZATION**Please grant any extension
necessary for entry;
Charge any fee due to our
Deposit Account No. 15-0461

TO 2800 MAIL ROOM

OCT - 5 1999

RECEIVED

PTO-103X
(Rev. 8-88)

FILING RECEIPT



UNITED STATES DEPARTMENT OF COMMERCE
Patent and Trademark Office
ASSISTANT SECRETARY AND COMMISSIONER
OF PATENTS AND TRADEMARKS
Washington, D.C. 20231

101809.01

APPLICATION NUMBER	FILING DATE	GRP ART UNIT	FILE FEE REC'D	ATTORNEY DOCKET NO.	DRWGS	TOT CL	IND CL
09/139,296	08/25/98	2851	\$1,272.00	2051-151	12	27	7

020583
PENNY EDMONDS
1155 AVENUE OF THE AMERICAS
NEW YORK, NY 10036-2711
OLIFF&BERRIDGE, PLC
P.O. BOX 19028
ALEXANDRIA, VA 22320

Receipt is acknowledged of this nonprovisional Patent Application. It is to be considered in its order and you will be notified as to the results of the examination. Be sure to provide the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION when inquiring about this application. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please write to the Application Processing Division's Customer Connection Branch within 10 days of receipt. Please provide a copy of the Filing Receipt with the changes noted thereon.

Applicant(s)

TOSHIYA OHTOMO, TOKYO, JAPAN; HIROTO HORIKAWA,
KANAGAWA-KEN, JAPAN.

CONTINUING DATA AS CLAIMED BY APPLICANT-
THIS APPLN IS A CON OF 08/935,445 09/23/97, WHICH IS A CON
OF 08/490,497 06/11/95

FOREIGN APPLICATIONS-

JAPAN
JAPAN
JAPAN

156429/1994 06/16/94
153458/1994 07/05/94
268546/1994 11/01/94

TITLE
STAGE UNIT, DRIVE TABLE, AND SCANNING EXPOSURE APPARATUS USING THE
SAME

PRELIMINARY CLASS: 355